

[Home](#) ■ [Products](#) ■ [Conveyors](#)

HUBER Screw Conveyor Ro8 / Ro8 T



Transport of coarse, fine and compacted screenings, sludge, grit, and solids from industrial processes

- in a closed tube (Ro8) or
- in a lidded trough (Ro8 T)

Our customized designed and manufactured HUBER Screw Conveyors are supplied as closed tube or trough version, depending on the requirements.

They are installed for horizontal, inclined and even vertical transport of screenings, dewatered sludge, grit etc. from wastewater treatment plants, or other solids from industrial processes.

The entire process of material transport takes place within a closed tube or a lidded trough. Gentle movement in an enclosed pipe prevents odor nuisance and dust development.

HUBER Screw Conveyors are custom made for the individual product to be conveyed and designed and manufactured with state-of-the-art techniques. Due to their special design principle the conveyors can be equipped with either a push or pull drive and feed hoppers or discharges can be added if required. Direct screenings transfer from one to the other screw conveyor is no problem.

More products of this group: Conveyors

Benefits

- Installation angle up to 90°
- Completely made of stainless steel: The machine is completely made of stainless steel and pickled in an acid bath which eliminates corrosion and thus reduces maintenance.
- Enclosed system: Gentle movement in an enclosed pipe prevents odor nuisance and dust development.
- Outdoor installation: For outdoor installations, the HUBER Screw Conveyors can be supplied with a frost protection, combined with an additional insulation if required.
- Low maintenance: No lubrication. Regular checking and visual inspection are sufficient.

Case Studies

- [Heineken Ledbury Case Study - Screenings compaction in Beverage Industry](#)
- [Conveyor technology made by HUBER SE: Indispensable and reliable](#)
- [Major order: 12 HUBER Multi-Rake Bar Screens RakeMax® for Vienna](#)
- [Successful HUBER overall concept for beverage industry in Croatia](#)
- [HUBER qualifies for the 2014 Olympics in Sochi](#)


Downloads

 [Brochure: HUBER Screw Conveyor Ro8 / Ro8 T](#) [pdf, 895 KB]

Design Sketch



Sketch Ro8



Sketch Ro8 T

Media





Video: HUBER Screw Conveyor in a mechanical preliminary wastewater treatment process

<https://www.youtube.com/watch?v=SH3P8lpCDJM>

Adresse / address: HUBER SE · Industriepark Erasbach A1 · 92334 Berching · Germany · Telefon / phone: + 49 - 84 62 - 201 - 0 · Fax / fax: + 49 - 84 62 - 201 - 810
e-mail: info@huber.de · Internet: <http://www.huber.de>

Sitz der Gesellschaft / Headquarters: Berching · AG Nürnberg / Register of companies: HRB 25558
Vorstand / Board: Georg Huber (Vorsitzender / CEO), Dr.-Ing. Oliver Rong (stellvertretender Vorsitzender / Vice CEO), Dr.-Ing. Johann Grienberger, Rainer Köhler
Aufsichtsratsvorsitzender / Chairman of the Supervisory Board: Alois Ponnath

USt (VAT)-IdNr.: DE 812353219

Bank: HypoVereinsbank Nürnberg (BLZ 760 200 70) 5 008 409 · SWIFT-BIC: HYVEDEMM460 · IBAN: DE 30 7602 0070 0005 0084 09

