

[Home](#) ■ [Products](#) ■ [Screenings Treatment](#)

HUBER Screenings Wash Press WAP®



Screenings Wash Press for any application

- Dewatering performance up to 45 % DS
- Weight reduction up to 75 %
- Completely made of stainless steel

A cost-effective method of screenings washing!

The screenings to be treated are discharged directly from a screen or conveyor (e.g. screw conveyor) into the feed trough of the Wash Press. A robust conveying and compacting screw transports the screenings into the wash zone where they are exposed to directed and powerful turbulence created by automatic introduction of wash water (used water).

The turbulence achieves perfect separation of organic particles and thus effective screenings washing. The washing intensity and cycles are individually adjustable. The washed screenings are further conveyed in the rising pipe to the press zone where they are pressed and dewatered by the compacting screw to a DS content of 35 - 45 %. The wash water from screenings compaction which is rich in carbon is discharged back into the waste water stream.

Automatic cleaning of the wash water collecting tank under the machine is possible. The washed and compacted screenings are finally transported through the conical discharge pipe into a skip.

Benefits



THE ADVANTAGES OF THE HUBER SCREENINGS WASH PRESS WAP®

- Dewatering performance of up to 45 % DR
- Volume, weight and disposal cost reduction by up to 75 %
- Screenings throughput capacity of up to 12 m³/h
- Completely made of stainless steel (including the compacting screw)
- Acid treated in a pickling bath for corrosion protection
- Return of carbon-rich filtrate to the wastewater
- Insensitive to coarse material
- Screened wastewater or process water can be used as wash water
- Flexible feed trough lengths
- Fast payback due to great transportation and disposal cost savings

Downloads

 [Brochure: HUBER Screenings Wash Press WAP](#) [pdf, 363 KB]

Design Sketch



Media





Video: HUBER Screenings Wash Press WAP at a municipal WWTP

<https://www.youtube.com/watch?v=SH3P8lpCDJM>

More products of this group: Screenings Treatment

- ▶ [Screenings Wash Press WAP® SL](#)
- ▶ [Screenings Wash Press WAP® SL HP](#)
- ▶ [Screenings Wash Press WAP® L for Launder Channel Feeding](#)
- ▶ [HUBER Launder Channel HLC](#)
- ▶ [HUBER Screw Conveyor Ro8 / Ro8 T](#)
- ▶ [HUBER Screenings Compactor Ro7](#)
- ▶ [Integrated Screenings Washing](#)

Adresse / address: HUBER SE · Industriepark Erasbach A1 · 92334 Berching · Germany · Telefon / phone: + 49 - 84 62 - 201 - 0 · Fax / fax: + 49 - 84 62 - 201 - 810
e-mail: info@huber.de · Internet: <http://www.huber.de>

Sitz der Gesellschaft / Headquarters: Berching · AG Nürnberg / Register of companies: HRB 25558

Vorstand / Board: Georg Huber (Vorsitzender / CEO), Dr.-Ing. Oliver Rong (stellvertretender Vorsitzender / Vice CEO), Dr.-Ing. Johann Grienberger, Rainer Köhler
Aufsichtsratsvorsitzender / Chairman of the Supervisory Board: Alois Ponnath



USt (VAT)-IdNr.: DE 812353219

Bank: HypoVereinsbank Nürnberg (BLZ 760 200 70) 5 008 409 · SWIFT-BIC: HYVEDEMM460 · IBAN: DE 30 7602 0070 0005 0084 09

