

[Home](#) ■ [Products](#) ■ [Stainless Steel Equipment](#) ■ [Technical Doors](#) ■ [Pressure-tight Door](#)

## Pressure-tight Door

Pressure-tight doors up to 10 m and 30 m water head.

Completely made from stainless steel (1.4571/1.4404).

### Rectangular Pressure-Tight Door TT7 with Locking Levers



**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 10 m.**

Pressure-tight door, pressure-tight up to a water gauge of 10 m, opening to the pressure side, ready for installation, to be lined on both sides (wall thickness  $\geq 280$  mm), rectangular, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.

### Rectangular Pressure-Tight Door TT7.Z with Central Lock

**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 10 m.**

Pressure-tight door, pressure-tight up to a water gauge of 10 m, opening to the pressure side, ready for installation, to be lined on both sides (wall thickness  $\geq 300$  mm), rectangular, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.



Registered design no. 298 01 144.1

### [Rectangular Pressure-Tight Door TT7.30 with Central Lock](#)

**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 30 m.**

Pressure-tight door, pressure-tight up to a water gauge of 30 m, opening to the pressure side, ready for installation, to be lined on both sides (wall thickness  $\geq 300$  mm), rectangular, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.



## Round Pressure-Tight Door TT7.R with Screw Locks



**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 10 m.**

Pressure-tight door, pressure-tight up to a water gauge of 10 m, opening to the pressure side, ready for installation, to be lined on both sides, round, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.

### Download Documents

Here you will find extensive planning documents and customer information.

For quick and easy download, all documents of a product are packed together into one complete ZIP file:

- [Rectangular Pressure-Tight Door TT7 with Locking Levers](#)
- [Rectangular Pressure-Tight Door TT7.Z with Central Lock](#)
- [Rectangular Pressure-Tight Door TT7.30 with Central Lock](#)
- [Round Pressure-Tight Door TT7.R with Screw Locks](#)

### Media



HUBER Pressure-tight Door for drinking water storage tanks

<https://www.youtube.com/watch?v=qYmQS7umU-0>

## Case Studies

- [HUBER's Stainless Steel Pressure Tight Submarine Doors Selected For New Reservoir](#)
- [First HUBER TT7-30 pressure doors installed at Echthausen waterworks](#)
- [New Pressure Door model to withstand even higher pressures!](#)
- [HUBER flood protection solution for Weltenburg Abbey successfully stands first crucial test](#)
- [Selection Principles for Pressure Doors](#)
- [HUBER Components for Potable Water Reservoirs](#)
- [Stormwater tanks with effective flood protection in the Principality of Liechtenstein](#)

## More products of this group: Technical Doors

- [Stainless Steel Doors](#)
- [Safety Door](#)
- [Chlorine Room Door](#)
- [Flood-proof Door](#)
- [Access/Inspection Cover](#)
- [Louvre](#)
- [Windows](#)

Adresse / address: HUBER SE · Industriepark Erasbach A1 · 92334 Berching · Germany · Telefon / phone: + 49 - 84 62 - 201 - 0 · Fax / fax: + 49 - 84 62 - 201 - 810  
e-mail: [info@huber.de](mailto:info@huber.de) · Internet: <http://www.huber.de>

Sitz der Gesellschaft / Headquarters: Berching · AG Nürnberg / Register of companies: HRB 25558

Vorstand / Board: Georg Huber (Vorsitzender / CEO), Dr.-Ing. Oliver Rong (stellvertretender Vorsitzender / Vice CEO), Dr.-Ing. Johann Grienberger, Rainer Köhler  
Aufsichtsratsvorsitzender / Chairman of the Supervisory Board: Alois Ponnath

USt (VAT)-IdNr.: DE 812353219

Bank: HypoVereinsbank Nürnberg (BLZ 760 200 70) 5 008 409 · SWIFT-BIC: HYVEDEMM460 · IBAN: DE 30 7602 0070 0005 0084 09

